



ELSEVIER

Colloids and Surfaces
A: Physicochemical and Engineering Aspects 149 (1999) 623–626

COLLOIDS
AND
SURFACES

A

Contents of Volume 149

Vol. 149 Nos. 1–3

(Special Issue: The 9th International Conference on Surface & Colloid Science)

Preface	1
Reminiscences of Alexei Scheludko at the occasion of The first delivery of The Schelidko-lecture, 9th ICSCS, Sofia, July 1997	
H. Lyklema (Wageningen, The Netherlands)	3
Dynamic electrophoretic mobility of spherical colloidal particles with thin electrical double layers in concentrated suspensions	
H. Ohshima (Tokyo, Japan)	5
Recondensation model for dispersions in one dimension	
N.I. Lebovka, V.V. Mank, V.P. Makovetsky and N.S. Pivovarova (Kiev, Ukraine)	13
Structure of foams produced by agitation	
P. Licinio and J.M.A. Figueiredo (Belo Horizonte/MG, Brazil)	19
Formation of a stable, highly concentrated O/W emulsion modeled by means of foam films	
R. Ivanova (Sofia, Bulgaria), B. Balinov (Oslo, Norway), R. Sedev and D. Exerowa (Sofia, Bulgaria)	23
Hydrocarbon and lipid oxidation in micro heterogeneous systems formed by surfactants or nanodispersed Al_2O_3 , SiO_2 and TiO_2	
O.T. Kasaikina (Moscow, Russia), V.D. Kortenska (Sofia, Bulgaria), Z.S. Kartasheva, G.M. Kuznetsova, T.V. Maximova, T.V. Sirota (Moscow, Russia) and N.V. Yanishlieva (Sofia, Bulgaria)	29
Synthesis and growth mechanism of GeO_2 particles in AOT reversed micelles	
T. Kawai, Y. Usui and K. Kon-No (Tokyo, Japan)	39
Titanium dioxide films made from reverse micelles and their use for the photocatalytic degradation of adsorbed dyes	
E. Stathatos (Patras, Greece), D. Tsiourvas (Athens, Greece) and P. Lianos (Patras, Greece)	49
Factors affecting the swelling of poly(<i>N</i> -isopropylacrylamide) microgel particles: fundamental and commercial implications	
B.R. Saunders, H.M. Crowther, G.E. Morris, S.J. Mears, T. Cosgrove and B. Vincent (Bristol, UK)	57
A generalized scale for free energy of adsorption from Gibbs adsorption equation	
D.K. Chattoraj, P.K. Mahapatra and S.C. Biswas (Calcutta, India)	65
Relationship between monolayer structure and dynamic surface properties of alkyl dimethyl phosphine oxides. BAM studies	
D.O. Grigoriev (Berlin, Germany/St. Petersburg, Russia), O. Senkel, G. Kretschmar (Berlin, Germany), J.B. Li (Beijing, China), B.A. Noskov (St. Petersburg, Russia) and R. Miller (Berlin, Germany)	81
Synthesis of nanometer scale oxide-based titania films by a two-dimensional sol–gel process at the air–liquid interface	
F. Facca, G. Puccetti and R.M. Leblanc (Miami, FL, USA)	89
Modelling the adhesion of spheres: when the form of the interaction is complex	
E. Barthel (Aubervilliers, France)	99
Adhesion of food emulsions to packaging and equipment surfaces	
M.C. Michalski, S. Desobry (Vandoeuvre-les-Nancy, France), V. Babak (Moscow, Russian Federation) and J. Hardy (Vandoeuvre-les-Nancy, France)	107
Droplet spreading: a microscopic approach	
T.D. Blake, A. Clarke (Harrow, UK), J. De Coninck, M. de Ruijter and M. Voué (Mons, Belgium)	123
Forces in foam films containing polyelectrolyte and surfactant	
R. Klitzing, A. Espert, A. Asnacios, T. Hellweg, A. Colin and D. Langevin (Pessac, France)	131

Surface force measurement in foam films from mixtures of protein and polymeric surfactants R. Sedev (Sofia, Bulgaria), Z. Németh (Budapest, Hungary), R. Ivanova and D. Exerowa (Sofia, Bulgaria)	141
Measuring electrostatic double-layer forces on HOPG at high surface potentials A. Döppenschmidt and H.-J. Butt (Mainz, Germany)	145
Experiments on surface waves in thin wetting films P. Letocart (Freiberg, Germany), B. Radoev (Sofia, Bulgaria), H.J. Schulze and R. Tsekov (Freiberg, Germany) .	151
On the defect growth after short electric field pulses in planar lipid bilayers M. Winterhalter (Basel, Switzerland)	161
Boundary layer and the stability of hydrophilic dispersions V.N. Moraru, F.D. Ovcharenko and D.V. Moraru (Kyiv, Ukraine)	171
Thinning of microscopic foam films formed from a mixture of bovine serum albumin and Pluronic L62 Z. Németh (Budapest, Hungary), R. Sedev, R. Ivanova, T. Kolarov and D. Exerowa (Sofia, Bulgaria)	179
Rupture of common black films. Experimental study A. Nikolova and D. Exerowa (Sofia, Bulgaria)	185
Practical preparation of anionic mercapto ligand-stabilized gold nanoparticles and their immobilization T. Yonezawa and T. Kunitake (Fukuoka, Japan)	193
Shape transformations of giant unilamellar vesicles induced by ethanol and temperature variations M.I. Angelova, R. Mutacheva, R. Dimova and B. Tenchov (Sofia, Bulgaria)	201
Self-assembled structures in thin liquid films E. Mileva and D. Exerowa (Sofia, Bulgaria)	207
From self-assembled bilayer lipid membranes (BLMs) to supported BLMs on metal and gel substrates to practical applications H.T. Tien (East Lansing, MI, USA) and A.L. Ottova (East Lansing, MI, USA/Bratislava, Slovakia)	217
The dimer of sodium n-octyle benzene sulphonate in aqueous solution V.I. Ananchenkov, R.M. Galimzyanov, A.A. Saidov and K.N. Kholov (Tashkent, Uzbekistan)	235
Singular behavior of three-phase contact between DMPC dispersion, air and quartz at the critical temperature of 29°C L. Alexandrova, R. Koyanova, L. Grigorov and B. Tenchov (Sofia, Bulgaria)	239
Motion of a massive particle attached to a spherical interface: statistical properties of the particle path K. Velikov, K. Danov, M. Angelova (Sofia, Bulgaria), C. Dietrich and B. Pouligny (Pessac, France)	245
Polymer-water interactions in PAA hydrogels P. Pissis, A. Kyritsis, A.A. Konsta and D. Daoukaki (Athens, Greece)	253
Novel surfactant species developed in the formation of molecular complex systems: in connection to the theory of "solubilization" H. Hirata and N. Iimura (Niigata, Japan)	263
A kinetic study of the reaction between colloidal manganese dioxide and formic acid in aqueous perchloric acid solution in the presence of surface active agents M. Tunçay, N. Yüce, B. Arıkan and S. Göktürk (Istanbul, Turkey)	279
Surface pressure of protein adsorption layers: application to molecular mass and molecular area measurements R. Douillard and V. Aguié-Béghin (Reims, France)	285
The influence of a hydrotropic agent in the properties of aqueous solutions containing poly(ethylene oxide)-poly(propylene oxide) surfactants C.R.E. Mansur, L.S. Spinelli, E.F. Lucas and G. González (Rio de Janeiro, Brazil)	291
Theoretical modeling of Langmuir monolayers F. Schmid, C. Stadler and H. Lange (Mainz, Germany)	301
Resistance of water and oil soluble surfactant mixtures to oxygen transfer S. Yapar and S. Peker (Izmir, Turkey)	307
Micellization in water and adsorption onto solid particles of block copolymers A. Jada, J. Hoffstetter, B. Siffert and P. Dumas (Mulhouse, France)	315
Adsorption of cationic poly(diallyl-dimethyl-ammoniumchloride), poly(diallyl-dimethyl-ammoniumchloride-co-N-methyl-N-vinylacetamide) and poly(N-methyl-N-vinyl-acetamide) on polystyrene latex R. Rehmet and E. Killmann (Garching, Germany)	323
Polymer, particle, surfactant interactions T. Cosgrove, S.J. Mears, T. Obey (Bristol, UK), L. Thompson (Bebington, UK) and R.D. Wesley (Bristol, UK) .	329

Effect of the surfactant head group length on the interactions between polyethylene glycol monononylphenyl ethers and poly(acrylic acid)	
D.F. Anghel (Bucharest, Romania), F.M. Winnik (Ont., Canada) and N. Galatanu (Bucharest, Romania)	339
Dynamic light scattering on semidilute aqueous systems of ethyl (hydroxyethyl) cellulose. Effects of temperature, surfactant concentration, and salinity	
A.-L. Kjøniksen, B. Nyström (Oslo, Norway) and B. Lindman (Lund, Sweden)	347
Interactions of acetylenic diol surfactants with polymers. Part 1. Maleic anhydride co-polymers	
R. Krishnan and R. Sprycha (Carlstadt, NJ, USA)	355
Interactions between cationic starch and mixed anionic surfactants	
J. Merta and P. Stenius (Espoo, Finland)	367
A pulsed field gradient NMR study of poly(oxyethylene) diffusion in aqueous solutions and gels of ethyl (hydroxyethyl) cellulose-sodium dodecyl sulphate systems	
H. Walderhaug and B. Nyström (Oslo, Norway)	379
Electroosmosis and polymer depletion layers near surface conducting particles are detectable by low frequency electrorotation	
H. Bäumler, B. Neu, S. Iovtchev (Berlin, Germany), A. Budde (Rostock, Germany), H. Kieseewetter, R. Latza and E. Donath (Berlin, Germany)	389
How to handle the ion adsorption data with variable solid-to-liquid ratios by means of FITEQL	
M. Kosmulski (Karlsruhe, Germany)	397
Surface charge of anatase and alumina in mixed solvents	
M. Kosmulski and A. Plak (Krakow, Poland)	409
Possibilities for battery application of $\text{Co}_2\text{B}_7\text{H}_{12}$ colloid particles	
M. Mitov (Blagoevgrad, Bulgaria), A. Popov and I. Dragieva (Sofia, Bulgaria)	413
Electrical double layer at the $\alpha\text{-Fe}_2\text{O}_3$ -mixed electrolyte (ethanol-aqueous) interface	
W. Janusz, A. Sworska and J. Szczypa (Lublin, Poland)	421
The mechanism of luminescence by laser light on aqueous solution surfactants	
P.K. Khabibullaev, S.I. Mamatkulov, Y.V. Pakharukov and A.A. Saidov (Tashkent, Uzbekistan)	427
Electro-optics of colloidal crystals as studied by the reflection spectroscopy	
T. Okubo, A. Tsuchida, T. Tanahashi, A. Iwata, S. Okada, S. Kobata and K. Kobayashi (Gifu, Japan)	431
Particle characterization by AC electrokinetic phenomena. 2. Dielectrophoresis of Latex particles measured by dielectrophoretic phase analysis light scattering (DPALS)	
P. Eppmann, B. Prüger and J. Gimsa (Berlin, Germany)	443
Particle characterization by AC-electrokinetic phenomena: 1. A short introduction to dielectrophoresis (DP) and electrorotation (ER)	
J. Gimsa (Berlin, Germany)	451
Surface properties of metal ions modified silicas	
S.K. Milonjić (Belgrade, Yugoslavia)	461
Stagnant surface behaviour and its effect on foam and film stability	
A. Prins (Wageningen, The Netherlands)	467
Linear surface waves on a liquid-vapor interface: role of the surface permanent dipole moment	
R. Tsekov (Freiberg, Germany/Sofia, Bulgaria), H.J. Schulze (Freiberg, Germany), B. Radoev and E. Manev (Sofia, Bulgaria)	475
Molecular adsorption vs. cell adhesion at an electrified aqueous interface	
S. Kovač, V. Svetličić and V. Žutić (Zagreb, Croatia)	481
Viscoelasticity of phospholipid layers at different fluid interfaces	
J.B. Li (Beijing, People's Republic of China/Berlin-Adlershof, Germany), G. Kretzschmar (Berlin-Adlershof, Germany), R. Miller (Beijing, People's Republic of China/Berlin-Adlershof, Germany) and H. Möhwald (Berlin-Adlershof, Germany)	491
Pseudoplasticity of filter cakes explains cross-flow microfiltration	
E.D. Krusteva, T.A. Doneva and C.S. Vassiliev (Sofia, Bulgaria)	499
Effect of sodium hydroxide on interfacial rheological properties of oil-water systems	
J. Lakatos-Szabó and I. Lakatos (Miskolc-Egyetemváros, Hungary)	507
Influence of aqueous medium on viscoelastic properties of carboxymethylcellulose sodium, hydroxypropylmethyl cellulose, and thermally pre-gelatinized starch gels	
V. Michailova, S. Titeva, R. Kotsilkova, E. Krusteva and E. Minkov (Sofia, Bulgaria)	515

The role of structure in rupturing Newton-black soap films: dynamics of a molecular bilayer L.J. Evers, E.J. Nijman and G. Frens (Delft, Netherlands)	521
Physical-chemical mechanics in the studies of Peter A. Reh binder and his school E.D. Shchukin (Moscow, Russia/Baltimore, MD, USA)	529
Polyvinylchloride membranes in immunosensor design T. Panasyuk, R. Nigmatullin, S. Piletsky, T. Maltceva and M. Bryk (Firenze, Italy)	539
Sugar transport through channels reconstituted in planar lipid membranes M. Winterhalter (Basel, Switzerland)	547
Wettability and adhesion of marine and related adhesive proteins H. Yamamoto, A. Nishida and K. Ohkawa (Ueda-city, Japan)	553
The adsorption of cationic liposomes to <i>Staphylococcus aureus</i> biofilms H.J. Kim, E.L.M. Gias and M.N. Jones (Manchester, UK)	561
Effect of PEG-lipid conjugates on the phase behavior of phosphatidylethanolamine dispersions R. Koynova, B. Tenchov (Sofia, Bulgaria) and G. Rapp (Hamburg, Germany)	571
Colloidal forces between emulsified water droplets in toluene-diluted bitumen X. Wu (Alberta, Canada), T.G.M. van de Ven (Montreal, Canada) and J. Czarnecki (Alberta, Canada)	577
A study on the separation of magnesite fines by magnetic carrier methods G.N. Anastassakis (Athens, Greece)	585
Effect of bubble size on the kinetics of flotation of pyrite E. Humeres, N.A. Debacher and T.M. Wagner (Florianópolis, Brazil)	595
Sono-electrocoagulation of iron hydroxides V.K. Kovatcheva and M.D. Parlapanski (Sofia, Bulgaria)	603
Micellar-catalyzed reactions of a phosphate ester: effect of the dielectric constant of the medium E.F. de Souza (Campinas, Brazil) and L.G. Ionescu (Porto Alegre, Brazil/Canoas, Brazil)	609
Author Index	617
Subject Index	619
Volume contents	623

**The table of contents of *Colloids and Surfaces A: Physicochemical and Engineering Aspects* is included in ESTOC - Elsevier Science Tables of Contents service - which can be accessed on the World Wide Web at the following URL addresses:
<http://www.elsevier.nl/locate/estoc> or <http://www.elsevier.com/locate/estoc>**

